



SUPER RANGER 6.0 IGR KAYDETS

ACTIVE DRUG INGREDIENTS

(S)-Methoprene (CAS #65733-16-6) 0.01%
 OTHER INGREDIENTS 99.99%
 TOTAL 100.00%

*As the Insect Growth Regulator ALTOSID®

GUARANTEED ANALYSIS

Calcium (Ca), not less than 12.0%
 Calcium (Ca), not more than 14.0%
 Phosphorus (P), not less than 6.0%
 Salt (NaCl), not less than 18.0%
 Salt (NaCl), not more than 20.0%
 Magnesium (Mg), not less than 1.0%
 Cobalt (Co), not less than 55 ppm
 Copper (Cu), not less than 5000 ppm
 Iodine (I), not less than 100 ppm
 Manganese (Mn), not less than 6000 ppm
 Selenium (Se), not less than 26 ppm
 Zinc (Zn), not less than 7000 ppm
 Vitamin A, not less than 300,000 IU/lb
 Vitamin D3, not less than 35,000 IU/lb
 Vitamin E, not less than 250 IU/lb

INGREDIENTS

Monocalcium Phosphate, Calcium Carbonate, Salt, Molasses Products, Manganese Oxide, Colored with Synthetic Red Iron Oxide, Zinc Amino Acid Chelate, Manganese Amino Acid Chelate, Copper Amino Acid Chelate, Magnesium Mica, Yeast Culture, Sodium Aluminosilicate, Cobalt Carbonate, Copper Sulfate, Copper Chloride, Ethylenediamine Dihydriodide, Manganous Oxide, Sodium Selenite, Zinc Sulfate, Zinc Oxide, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Vitamin B12, Choline Chloride, Folic Acid, D-Calcium Pantothenate, Riboflavin, Niacin, Pyridoxine, Thiamine, Mineral Oil, Ferrous Carbonate, Iron Oxide and Artificial Flavors.

FEEDING DIRECTIONS

When used as directed SR 6.0 IGR Granular Mineral (SR 6.0 IGR) will provide sufficient (S)-methoprene insect growth regulator to prevent the emergence of adult horn flies from manure of treated cattle. Existing adult horn flies will not be affected. Start feeding before horn flies appear and continue use until cold weather marks the end of the horn fly season. Allow free choice to cattle. Cattle should consume an average of 0.4 ounces SR 6.0 IGR per 100 pounds of body weight per day, which is equivalent to 4 ounces per day for a 1,000-pound animal.

1. Assure cattle are not starved for nutrients in SR 6.0 IGR by providing them prior to feeding SR 6.0 IGR.
2. Offer cattle 50 pounds of SR 6.0 IGR for every 15 head of cattle.
3. Remove all other self-limiting nutritional supplements.
4. Locate SR 6.0 IGR where cattle congregate (watering, loafing, shade areas).
5. Replenish SR 6.0 IGR on a regular basis as needed.
6. If intake of SR 6.0 IGR is below 0.4 ounces per 100 pounds animal body weight per day, increase the number of feeding locations and/or change location(s) to areas more frequented by cattle.
7. If intake of SR 6.0 IGR is above 0.4 ounces per 100 pounds animal body weight per day, reduce the number of feeding locations and/or change location(s) to areas less frequented by cattle.
8. Introduction of this product after adult horn fly infestation is established will require treatment of cattle with adulticides if elimination of the adult fly population is desired.

SPECIFICATIONS:	USE FOR:	FEATURES & BENEFITS:
<ul style="list-style-type: none"> • 50 lb. bag • Feed free choice • No need for additional salt or mineral 	<ul style="list-style-type: none"> • Feed to beef cattle on pasture • Horn fly prevention 	<ul style="list-style-type: none"> • Horn fly control without building resistance • Ca:P ratio of 2:1 • Contains a chelated mineral package for optimal utilization
PRODUCT 1142		